

FLOS

F2500000 Chrome

Frisbi

Designed by Achille Castiglioni, 1978




Halogen - 105W

Suspension lamp providing direct, diffused and reflected light. Opaline polymethylmethacrylate (PMMA) injection-molded diffuser plate suspended by three fine steel cables. Polished, nickel-plated, and zapon-varnished stamped sheet metal reflector painted gloss-white inside. Black painted, injection-molded ABS ceiling fitting and rose.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)




Main specifications

EAN	8059607016206
Mounting	Suspension
Environment	Indoor dry location
Light source type	Bulb
Lamp category	Halogen
Lamp holder	E27
Ilcos	HSGSR
Number of heads	1
Power (W)	105

Physical

Colour	Chrome
Cord length (mm)	2700
Net weight (kg)	2.65
Package height (cm)	17
Package width (cm)	66
Package length (cm)	66
Package volume (m3)	0.07
IP	20
IP external	20

Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF


Photometric Files

[LDT / IES](#)  LDT


Technical Drawings

[2D](#)  ZIP

[3D](#)  ZIP



Schematic light drawing



Beam Angle: 20°

h(m)	E(lx)	D(m)
1	1929	0.36
2	482	0.72
3	214	1.08
4	121	1.44
5	77	1.80

Luminous flux Luminaire
858 lm


Photometric

Lighting type	Direct
Light distribution	Roto symmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Cord length (mm)	2700
Batteries inside	No
Charging min time	No

Bulbs



NOT INCLUDED

RF31458

LED Reflector Frosted Lamp E27

13W 2700K R80 Dimmable

Spare Parts



RF00862

Reflector



RF01439

Grid support with stem



RF05806

Plexiglass diffuser



RF06823

Frisbi steel wires (3 pieces)



RF2500100

Complete ceiling rose assembly



RF2500200

New version lamp holder



RF29648

2x1 2.7 mt black electrical cable