

SOFT EDGE 85 BAR STOOL

PRODUCT FACT SHEET



SOFT EDGE 85 BAR STOOL


DESIGN BY ISKOS-BERLIN, 2016

Iskos-Berlin's Soft Edge chair and stool series features a rounded frame and organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design with dynamic comfort. All the edges of the ultra-thin, soft-formed seats are bent away from the body, designed to optimise human-centric comfort for constant shifting and movement. With its plastic (PP) seat in a wide range of colours, and powder coated or chromed long steel legs, Soft Edge 85 offers uncluttered aesthetics with a feeling of lightness. Its strength and functionality ensure years of everyday use in diverse public and private environments – from the home to corporate spaces, cafés and institutions.

HIGHLIGHTS

- Part of a family of dining chairs, bar stools and stools with steel base or solid oak legs or polypropylene seat and back.
- Polypropylene (PP) seat and back available in a wide range of colours, and powder coated or chromed steel base.
- The chair is also available in wood in different colours and finishes (Soft Edge 12, 32 and 72) and with steel frame and wood seat and back (Soft Edge 10, 30 and 70).
- Suitable for a wide variety of private and public environments.
- Qualified for contract use.

DIMENSIONS



SOFT EDGE 85 BAR STOOL LOW

WIDTH 40 CM | 15.75"
DEPTH 40 CM | 15.75"
HEIGHT 65 CM | 25.59"
SEAT HEIGHT 65 CM | 25.59"

SOFT EDGE 85 BAR STOOL HIGH

WIDTH 41,5 CM | 16.34"
DEPTH 41,5 CM | 16.34"
HEIGHT 75 CM | 29.53"
SEAT HEIGHT 75 CM | 29.53"

MATERIALS

SEAT

Injection moulded solid coloured polypropylene.
Seat thickness 6mm. Matt slightly textured surface.

BASE

Ø16 mm steel tube.

OPTIONS

Trumpet felt gliders for wooden floors
CMHR foam (fire retardant)

CONSTRUCTION












Polypropylene seat mounted to the frame with rivets.

COUNTRY OF ORIGIN

Denmark

COLOUR & FINISH

Please note that the colour codes are indicative.

		BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	WHITE POWDER COATED STEEL	CHROMED STEEL
			 RAL 9005	 NCS 3500N	 NCS 6030-R	 RAL 9003	
SEAT & BACK							
BLACK POLYPROPYLENE RAL 9005		•					•
SOFT GREY POLYPROPYLENE NCS S 3500 N		•		•			•
FALL RED POLYPROPYLENE NCS S 6030 R		•			•		•
DUSTY GREEN POLYPROPYLENE NCS S 6005 G20Y		•					•
WHITE POLYPROPYLENE RAL 9003						•	•
HUNTER POLYPROPYLENE NCS S 8010 B90G		•					•

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics.

[LINK TO OVERVIEW](#)

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

[LINK TO ENVIRONMENTAL PROFILE](#)

CERTIFICATES



INDOOR ADVANTAGE™ GOLD

Supports a healthy indoor environment.

Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety

- Requirements for non-domestic seating.

L2 Extreme use - Loading according to Test severity L2.

WARRANTY

HAY provides a 5-year product warranty.

Please contact the HAY sales team for further information about the warranty terms and conditions.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

[LINK TO CARE & MAINTENANCE](#)

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO DIGITAL LIBRARY](#)